

KATTIA[®]



EASY

24 | LAPONIA

SPORT **23**

MODELO
24
FIL KATIA

EASY

pág. 23

LAPONIA

ESPAÑOL

TALLAS: -a) 38-40 -b) 42-44 -c) 46-48 -d) 50-52
El modelo fotografiado corresponde a la talla
-a) 38-40



MATERIALES

LAPONIA col. 203: -a) 9 -b) 9 -c) 10 -d) 11 ovillos

Agujas	Puntos empleados
Nº 9	<ul style="list-style-type: none"> • P. jersey rev. • P. bobo • Costura grafting • Costura a p. de lado
• Ver instrucciones en puntos básicos	

MUESTRA DEL PUNTO

Las medidas que se dan son con la muestra **plan-
chada a vapor** con mucha precaución.

A p. jersey rev., ag. nº 9

10x10 cm = 8 p. y 12 vtas.

ESPALDA

Montar -a) 44 p. -b) 48 p. -c) 52 p. -d) 56 p.
Trab. a p. bobo.

A 4 cm de largo total, continuar trab. a p. jersey rev.

Sisas: A 55 cm de largo total, **cerrar** en ambos
lados, en cada inicio de vta.:

-a) 1 vez 4 p.

-b) 1 vez 5 p.

-c) 1 vez 6 p.

-d) 1 vez 7 p.

Quedarán: -a) 36 p. -b) 38 p. -c) 40 p. -d) 42 p.

Hombros: A -a) 22 cm -b) 23 cm -c) 24 cm
-d) 25 cm contando desde el inicio de las sisas,
cerrar en ambos lados, en cada inicio de vta.:

-a) 3 veces 4 p.

-b) 1 vez 5 p., 2 veces 4 p.

-c) 1 vez 5 p., 2 veces 4 p.

-d) 2 veces 5 p., 1 vez 4 p.

Escote: A -a) 27 cm -b) 28 cm -c) 29 cm
-d) 30 cm contando desde el inicio de las sisas,
cerrar los -a) 12 p. -b) 12 p. -c) 14 p. -d) 14 p.
restantes.

DELANTERO DERECHO

Montar -a) 26 p. -b) 28 p. -c) 30 p. -d) 32 p.
Trab. a p. bobo.

A 4 cm de largo total, continuar trab. a p. jersey
rev., **excepto** los 6 p. primeros que se trab. a p.
bobo para la tapeta.

Nota: para que la tapeta no quede tirante, cada
8 vtas. hacer 2 vtas. de más en estos p.

Sisa: A 55 cm de largo total, **cerrar** en el extremo
izquierdo, en inicio de vta. del revés de la labor

-a) 1 vez 4 p.

-b) 1 vez 5 p.

-c) 1 vez 6 p.

-d) 1 vez 7 p.

Quedarán: -a) 22 p. -b) 23 p. -c) 24 p. -d) 25 p.

Escote: A -a) 15 cm -b) 16 cm -c) 17 cm
-d) 18 cm contando desde el inicio de la sisa,
cerrar en el extremo derecho, en cada inicio de
vta. del derecho de la labor:

-a) 1 vez 6 p., 1 vez 2 p., 2 veces 1 p.

-b) 1 vez 6 p., 1 vez 2 p., 2 veces 1 p.

-c) 1 vez 7 p., 1 vez 2 p., 2 veces 1 p.

-d) 1 vez 7 p., 1 vez 2 p., 2 veces 1 p.

Hombro: A -a) 22 cm -b) 23 cm -c) 24 cm
-d) 25 cm contando desde el inicio de la sisa,
cerrar en el extremo izquierdo, en cada inicio de
vta. del revés de la labor:

-a) 3 veces 4 p.

-b) 1 vez 5 p., 2 veces 4 p.

-c) 1 vez 5 p., 2 veces 4 p.

-d) 2 veces 5 p., 1 vez 4 p.

DELANTERO IZQUIERDO

Trab. igual que el delantero derecho, pero a la
inversa.

MANGAS

Montar -a) 23 p. -b) 25 p. -c) 26 p. -d) 28 p.
Trab. a p. bobo.

A 4 cm de largo total, continuar trab. a p. jersey
rev. **aumentando** en ambos lados, a 1 p. de las
orillas, en cada 6ª vta.: 7 veces 1 p.

Quedarán: -a) 37 p. -b) 39 p. -c) 40 p. -d) 42 p.

A -a) 50 cm -b) 51 cm -c) 52 cm -d) 53 cm de
largo total, **cerrar** todos los p.

Hacer la otra manga igual.

CAPUCHA

Montar -a) 60 p. -b) 62 p. -c) 64 p. -d) 66 p.
Trab. a p. bobo.

A 7 cm de largo total, continuar trab. a p. jersey
rev. **cerrando** en ambos, en cada inicio de vta.:
3 veces 1 p.

Quedarán: -a) 54 p. -b) 56 p. -c) 58 p. -d) 60 p.

Continuar trab. con vtas. acortadas de la siguiente
manera:

1ª vta.: (derecho de la labor) Trab. -a) 51 p.
-b) 53 p. -c) 55 p. -d) 57 p. y **dejar en espera** 3 p.

2ª vta.: (revés de la labor) Trab. -a) 48 p. -b) 50 p.
-c) 52 p. -d) 54 p. y **dejar en espera** 3 p.

3ª vta.: Trab. -a) 45 p. -b) 47 p. -c) 49 p. -d) 51 p.
y **dejar en espera** 3 p. (= 6 p. en espera).

4ª vta.: Trab. -a) 42 p. -b) 44 p. -c) 46 p. -d) 48 p.
y **dejar en espera** 3 p. (= 6 p. en espera).

5ª vta.: Trab. -a) 42 p. -b) 44 p. -c) 46 p. -d) 48 p.
y **retomar** 3 p. (= 3 p. en espera).

6ª vta.: Trab. -a) 45 p. -b) 47 p. -c) 49 p. -d) 51 p.
y **retomar** 3 p. (= 3 p. en espera).

7ª vta.: Trab. -a) 48 p. -b) 50 p. -c) 52 p. -d) 54 p.
y **retomar** los 3 p. restantes.

8ª vta.: Trab. -a) 51 p. -b) 53 p. -c) 55 p. -d) 57 p.
y **retomar** los 3 p. restantes.

Continuar trab. con todos los p.

Nota: para que no quede escalonado, al ir reco-
giendo los p. dejados en espera de una vta. y otra,
recoger la hebra que queda entre el último p. tejido
y el siguiente p. a tejer, ponerla en la ag. izquierda
y tejerla junto con el siguiente p. a tejer.

A -a) 18 cm -b) 19 cm -c) 20 cm -d) 21 cm de
largo total, formar el redondeado central **men-
guando** en los 4 p. centrales (haciendo 2 veces
2 p. juntos rev.), en cada vta. del derecho de la
labor: 6 veces 2 p.

Quedarán: -a) 42 p. -b) 44 p. -c) 46 p. -d) 48 p.

Al terminar los manguados anteriores y en una vta.
del derecho de la labor, trab. la mitad de la vta. (= **-a)**
21 p. -b) 22 p. -c) 23 p. -d) 24 p.) y **unir** a
grafting con la otra mitad de la capucha.

CONFECCIÓN Y REMATE

Hilvanar las piezas encaradas (la espalda doblada
por la mitad a lo largo) y **planchar** con mucha
precaución.

Todas las costuras se **cosen** a p. de lado.




Coser los hombros.

Aplicar las mangas, poner la mitad de la parte
superior de la manga en la costura del hombro,
hacer llegar los extremos al inicio de las sisas y
coser.

Aplicar la capucha, poner la mitad de la capucha
(por los p. unidos a p. de grafting) a la mitad del
escote de la espalda, hacer llegar los extremos al
inicio del escote de los delanteros y **coser**.

Coser los lados y el bajo de las mangas.

Con la prenda completamente abierta y con **mucha
precaución** dar un repaso de **plancha** a las cos-
turas que se han formado.



E NGLISH

SIZE: -a) 43 1/4" -b) 47 1/4" -c) 50 3/8" -d) 54 3/8" finished bust measurement
UK sizes: -a) 8-10 -b) 12-14 -c) 16-18 -d) 20-22
 The model in the photograph corresponds to size -a) 8-10

MATERIALS
 LAPONIA: -a) 9 -b) 9 -c) 10 -d) 11 balls col. 203

Knitting needles	Stitches
Size 13 (U.S.)/ (9 mm)	<ul style="list-style-type: none"> Reverse stockinette st Garter st Grafting Side seams
• See instructions in basic stitches	

GAUGE
 The measurements are taken after very carefully pressing the sample swatch with steam.
 Using the size 13 needles in reverse stockinette st: 8 sts & 12 rows = 4x4"

BACK
Cast on -a) 44 **-b)** 48 **-c)** 52 **-d)** 56 sts. Work in *garter st*.

When back measures 1 5/8" (4 cm) measuring from the start, continue working in *reverse stockinette st*.

Armholes: When back measures 21 5/8" (55 cm) measuring from the start, **bind (cast off)** at each edge, at the beginning of each row as follows:

- a) 4 sts 1 time
 - b) 5 sts 1 time
 - c) 6 sts 1 time
 - d) 7 sts 1 time
- Total: -a) 36 -b) 38 -c) 40 -d) 42 sts.

Shoulders: At a distance of -a) 8 5/8" (22 cm) -b) 9" (23 cm) -c) 9 1/2" (24 cm) -d) 9 7/8" (25 cm) measuring from the start of the armhole shaping, **bind (cast off)** at each edge, at the beginning of every row as follows:

- a) 4 sts 3 times
- b) 5 sts 1 time, 4 sts 2 times
- c) 5 sts 1 time, 4 sts 2 times
- d) 5 sts 2 times, 4 sts 1 time

Neckline: At a distance of -a) 10 5/8" (27 cm) -b) 11" (28 cm) -c) 11 3/8" (29 cm) -d) 11 3/4" (30 cm) measuring from the start of the armhole shaping, **bind (cast off)** the remaining -a) 12 -b) 12 -c) 14 -d) 14 sts.

RIGHT FRONT
Cast on -a) 26 **-b)** 28 **-c)** 30 **-d)** 32 sts. Work in *garter st*.

When right front measures 1 5/8" (4 cm) measuring from the start, continue working in *reverse stockinette st*, **except** for the first 6 sts which are worked in *garter st* for the front band.

Note: to ensure that the *garter st* front band does not become too tight and pull up, for every 8 rows worked work an additional 2 rows across the front band stitches only.

Armhole: When right front measures 21 5/8" (55 cm) measuring from the start, **bind (cast off)** at the left side edge, at the beginning of the wrong side row of the work as follows:

- a) 4 sts 1 time
 - b) 5 sts 1 time
 - c) 6 sts 1 time
 - d) 7 sts 1 time
- Total: -a) 22 -b) 23 -c) 24 -d) 25 sts.

Neckline: At a distance of -a) 5 7/8" (15 cm) -b) 6 1/4" (16 cm) -c) 6 3/4" (17 cm) -d) 7 1/8" (18 cm) measuring from the start of the armhole shaping, **bind (cast off)** at the right side edge, at the beginning of every right side row of the work as follows:

- a) 6 sts 1 time, 2 sts 1 time, 1 st 2 times
- b) 6 sts 1 time, 2 sts 1 time, 1 st 2 times
- c) 7 sts 1 time, 2 sts 1 time, 1 st 2 times
- d) 7 sts 1 time, 2 sts 1 time, 1 st 2 times

Shoulder: At a distance of -a) 8 5/8" (22 cm) -b) 9" (23 cm) -c) 9 1/2" (24 cm) -d) 9 7/8" (25 cm) measuring from the start of the armhole shaping, **bind (cast off)** at the left side edge, at the beginning of every wrong side row of the work as follows:

- a) 4 sts 3 times
- b) 5 sts 1 time, 4 sts 2 times
- c) 5 sts 1 time, 4 sts 2 times
- d) 5 sts 2 times, 4 sts 1 time

LEFT FRONT
 Work the same as the right front but **reverse** the shaping.

SLEEVES
Cast on -a) 23 **-b)** 25 **-c)** 26 **-d)** 28 sts. Work in *stockinette st*.

When sleeve measures 1 5/8" (4 cm) measuring from the start, continue working in *reverse stockinette st*, **increasing** at each edge (= 1 st in from the edges) of every 6th row as follows: 1 st 7 times. Total: -a) 37 -b) 39 -c) 40 -d) 42 sts.

When sleeve measures -a) 20 1/8" (51 cm) -b) 20 1/2" (52 cm) -c) 20 7/8" (53 cm) -d) 21 1/4" (54 cm) measuring from the start, **bind (cast off)** all the sts.
 Make another sleeve the same.

HOOD
Cast on -a) 60 **-b)** 62 **-c)** 64 **-d)** 66 sts. Work in *garter st*.

When hood measures 2 3/4" (7 cm) measuring from the start, continue working in *reverse stockinette st* **binding (casting) off** at each edge, at the beginning of every row as follows: 1 st 3 times. Total: -a) 54 -b) 56 -c) 58 -d) 60 sts.

Continue working in short row shaping in the following manner:

- 1st row:** (right side of work). Work -a) 51 -b) 53 -c) 55 -d) 57 sts and **leave 3 sts on hold**.
- 2nd row:** (wrong side of work). Work -a) 48 -b) 50 -c) 52 -d) 54 sts and **leave 3 sts on hold**.
- 3rd row:** Work -a) 45 -b) 47 -c) 49 -d) 51 sts and **leave 3 sts on hold** (= 6 sts on hold).
- 4th row:** Work -a) 42 -b) 44 -c) 46 -d) 48 sts and **leave 3 sts on hold** (= 6 sts on hold).
- 5th row:** Work -a) 42 -b) 44 -c) 46 -d) 48 sts and **bring back into work** 3 sts (= 3 sts on hold).
- 6th row:** Work -a) 45 -b) 47 -c) 49 -d) 51 sts and **bring back into work** 3 sts (= 3 sts on hold).
- 7th row:** Work -a) 48 -b) 50 -c) 52 -d) 54 sts and **bring back into work** the remaining 3 sts.
- 8th row:** Work -a) 51 -b) 53 -c) 55 -d) 57 sts and **bring back into work** the remaining 3 sts.

Note: to ensure that the shaping doesn't have a stepped appearance, when bringing back the sts into work from one row to another, **pick up** the bar of yarn that lies between the last st worked and the next st to be worked, slip it onto the LH needle and knit it together with the following st to be worked. At a distance of -a) 7 1/8" (18 cm) -b) 7 1/2" (19 cm) -c) 7 7/8" (20 cm) -d) 8 1/4" (21 cm) measuring from the start, work the central rounded form by **decreasing** across the 4 central sts (= working P2 tog twice) on every right side row of the work as follows: 2 sts 6 times.

Total: -a) 42 -b) 44 -c) 46 -d) 48 sts.
 After finishing all the previous decreases, on the next right side row work half of the row (= -a) 21 -b) 22 -c) 23 -d) 24 sts) and then **join** to the other half of the hood by *grafting*.

FINISHING (MAKING UP)
Baste the pieces together with right sides facing (= the back folded in half lengthwise) and **press** carefully.
 All the seams are **sewn** using *side seams*.

Sew the shoulders.
Attach the sleeves: match the centre of the sleeve head to the shoulder seam, and the edges of the sleeve head to the start of the armhole shaping and **sew**.

Attach the hood: match the centre of the hood (where the stitches have been joined with grafting) to the centre of the back neckline and the hood edges to the front neckline edges and **sew**.
Sew the sides and the underarm seams.
 With the garment completely open and laid as flat as possible, **carefully give** the recently sewn seams a light **block (press)**.